

Trakita WORLD LEADING PRODUCT INNOVATION

HISTORY

Makita® Corporation was founded in 1915 as an electric motor sales and repair company. Today, as a global brand in over 40 countries, Makita® is an innovation leader, manufacturing best-in-class products at 10 plants operating in 8 countries. The unmatched quality and durability of Makita® products is driven by the company's strong R&D capabilities, and have earned the trust of professional users worldwide. Every day, on job sites around the world, Makita® delivers the power, performance and durability that professional users demand with products that are more compact, have less vibration and feel better.

In 1991 Makita® acquired Sachs Dolmar GmbH, the world's original manufacturer of gasoline chain saws.

RULE THE OUTDOORS

Since building our first motors over 100 years ago, Makita® continues to innovate and perfect our engineering craft. The result is an expanding range of professional outdoor power equipment built to help you tackle your toughest jobs. With power and experience at your fingertips, how will you rule the outdoors?

CORDLESS GAS PERFORMANCE WITHOUT THE HASSLES

Pages 4-17

4-STROKE STRAIGHT GAS, NO OIL MIXING

Pages 18-23

2-STROKE STARTS EASY, WORKS HARD

Pages 24-28

CORDED
EFFICIENT POWER AND LONGER LIFE

Page 29

ACCESSORIES

Pages 30–35







MAKITA® DESIGNED, ENGINEERED & PURPOSE-BUILT BRUSHLESS MOTORS



OUTER ROTOR

A direct-drive system that delivers the highest operating efficiency for more power, more speed and longer run time. The outer rotor brushless motor is inside select chain saws and string trimmers.





52mm, 44mm & 38mm

Built for higher power and efficiency in a compact size with all-metal gear construction for extended durability. The 52mm brushless motor can be found in select blowers, trimmers, and more.








KEY PRODUCT CLOSE-UP | XCUO3PT

GAS PERFORMANCE WITHOUT THE HASSLES



NO GAS, OIL MIXING OR PULL STARTS





Makita-built Outer Rotor BL™ Brushless Motor direct-drive system provides high power efficiency equivalent to gas



SPEED

Variable speed trigger and high chain speed (0-3,940 FPM) for improved cutting performance



DESIGN

Compact rear handle design offers improved performance and operator comfort



INNOVATION

SPECIFICATIONS

Guide Bar Length	14"
Chain Speed	3,940 FPM
Chain Pitch	
Chain Gauge	
Battery	2X 18V LXT® Lithium-Ion
Overall Length	30-1/2"
Net Weight (with battery)	11.5 lbs.
Shipping Weight	18.9 lbs.

■ 18V X2 (36V) LXT® BRUSHLESS 14" CHAIN SAW KIT

The XCU03PT has a 14" guide bar and the Makita®-built motor with variable speed delivers 0-3,940 FPM for increased cutting speed, but with less noise. It has zero emissions and reduced maintenance: there's no engine oil to change, no spark plug to replace, and no air filter or muffler to clean. And there's no need to drain the fuel for storage. Simply pick it up, load two 18V LXT® Lithium-Ion batteries, and the saw is ready to use. Convenience features include a "tool-less" chain adjustments, a front hand guard engineered to actuate chain brake when engaged, an electric brake for maximum productivity, and more.

LXT BRUSHLESS



XT. X2 FEV + FEV 36V





18V X2 (36V) LXT® Brushless 14" Chain Saw Kit (5.0Ah)

- Makita-built Outer Rotor BL™ Brushless Motor directdrive system provides high power efficiency equivalent to gas chain saw
- Variable speed trigger and high chain speed (0-3,940 FPM) for improved cutting performance
- Built-in lock-off lever helps prevent the chain from accidentally engaging

GUIDE BAR LENGTH	14"
CHAIN SPEED	3,940 FPM
CHAIN PITCH	3/8"
NET WEIGHT (WITH BATTERY)	11.5 LBS.

XCU02PT ☐ XCU02Z

18V X2 (36V) LXT® 12" Chain Saw Kit (5.0Ah)

- Makita-built motor delivers 1,650 FPM chain speed for faster cutting
- "Tool-less" chain adjustment for convenient operation and maintenance
- Cordless for reduced maintenance; no need to change engine oil or spark plug, clean air filter or drain fuel for storage

GUIDE BAR LENGTH	12"
CHAIN SPEED	1,650 FPM
CHAIN PITCH	3/8"
NET WEIGHT (WITH RATTERY)	10.1 LBS

XCU01Z Z

18V LXT® 4-1/2" Chain Saw (Tool Only)

- Makita-built motor delivers 980 FPM for increased cutting speed
- · Zero emissions and reduced maintenance
- "Tool-less" chain adjustments for convenient operation and maintenance

GUIDE BAR LENGTH	4-1/2"
CHAIN SPEED	980 FPM
CHAIN PITCH	1/4"
NET WEIGHT (WITH RATTERY)	5.4 LRS




INCREASED DURABILITY

Makita® Extreme Protection Technology (XPT™) is a series of protective seals inside the tool engineered to channel water, dust and debris away from the tool's key internal components.



KEY PRODUCT CLOSE-UP | XBUO2PT

GAS PERFORMANCE WITHOUT THE HASSLES





POWER

BL™ Brushless motor delivers up to
120 MPH air velocity and 473 CFM



INNOVATION
Two 18v LXT® batteries deliver the power for gas powered demands



VERSATILITY
6-stage air velocity/volume
selection dial with variable speed
control trigger



CONVENIENCE
Zero emissions and reduced maintenance; no need for

SPECIFICATIONS

Max. Air Volume	473 CFM
Max. Air Velocity	
No Load Speed (variable speed)	11,400 - 21,500 RPM
Battery	. 2X 18V LXT® Lithium-Ion
Sound Pressure (per Ansi B175.2	standard) 60.2 dB(A)
Overall Length	38-3/4"
Net Weight (with battery)	9.9 lbs.
Shipping Weight	

18V X2 (36V) LXT® BRUSHLESS BLOWER KIT

Landscapers and contractors are demanding more cordless alternatives to corded and gas-powered outdoor power equipment. Makita® is meeting demand with an expanding line of cordless OPE that includes the 18V X2 (36V) LXT® Lithium-Ion Brushless Blower. With zero emissions and lower noise, the 18V X2 (36V) Cordless Blower is a welcome solution for clean-up applications. It's powered by two 18V LXT® batteries for maximum power and run time, but without leaving the 18V battery platform. With the efficient Makita® BL™ Brushless Motor, the blower delivers longer run time, increased power and speed, and longer tool life.

LXT BRUSHLESS







18V X2 (36V) LXT® Brushless Blower Kit (5.0Ah)

- Delivers up to 29 minutes of run time at mid-speed (15,800 RPM) using two 18V LXT® 5.0Ah batteries
- BL™ Brushless motor delivers up to 120 MPH air velocity and 473 CFM of air volume
- Sound pressure rating of 60.2 dB(A); measured per ANSI B 175.2 standard

MAX. AIR VELOCITY	120 MPH
MAX. AIR VOLUME	473 CFM
SOUND PRESSURE (PER ANSI B175.2 STANDARI	D) 60.2 dB(A)
NET WEIGHT (WITH BATTERY)	9 9 I BS

18V X2 (36V) LXT® Blower Kit (5.0Ah)

- Delivers up to 28 minutes of run time using two 5.0Ah 18V LXT® batteries on highest speed setting
- Makita-built motor produces a maximum air velocity of 208 MPH and 155 CFM of air volume
- 2-speed (Low: 10,000 RPM, High: 17,000 RPM) design to match the speed to application

MAX. AIR VELOCITY	208 MPH
MAX. AIR VOLUME	155 CFM
SOUND PRESSURE (PER ANSI B175.2 STANDARD)	60.6 dB(A)
NET WEIGHT (WITH BATTERY)	8 LBS.

■ DUB183Z ☑

18V LXT® Floor Blower (Tool Only)

- Up to 18 minutes of continuous operation at high speed using 18V LXT® 5.0Ah battery BL1850B (battery not included)
- Variable speed (0-18,000 RPM) for optimum air volume control enables user to match the speed to the application
- Makita-built variable 3-speed motor produces a maximum air velocity of 116 MPH and 91 CFM of air volume

MAX. AIR VELOCITY	179 MPH
MAX. AIR VOLUME	91 CFM
NO LOAD SPEED (VARIABLE SPEED)	0 - 18,000 RPM
NET WEIGHT	4.3 LBS.

LXT BRUSHLESS

LXT BRUSHLESS











■ XT331PT

18V X2 (36V) LXT® Brushless 3-Pc. Combo Kit (5.0Ah)

- Blower delivers up to 120 MPH air velocity and 473 CFM of air volume
- · Chain Saw delivers up to 3,940 FPM for ease of operation
- String Trimmer delivers up to 60 minutes of run time

Kit Includes:

X2 LXT® BL™ STRING TRIMMER	XRU09Z
X2 LXT® BL™ BLOWER	XBU02Z
X2 LXT [®] BL [™] 14" CHAIN SAW	XCU03Z
(2) 18V LXT [®] 5.0Ah BATTERY	BL1850B
18V LXT® DUAL PORT CHARGER	DC18RD

XT277PT

18V X2 (36V) LXT® Brushless 2-Pc. Combo Kit (5.0Ah)

- Blower with BL[™] Brushless motor delivers up to 120 MPH air velocity and 473 CFM of air volume
- String Trimmer delivers up to 60 minutes of run time under load on the low speed setting using two 18V LXT® 5.0Ah BL1850 batteries

Kit Includes:

X2 LXT [®] BL [™] STRING TRIMMER	XRU09Z
X2 LXT [®] BL [™] BLOWER	XBU02Z
(2) 18V LXT [®] 5.0Ah BATTERY	BL1850B
18V LXT® DUAL PORT CHARGER	DC18RD

XT276PT

18V X2 (36V) LXT® Brushless 2-Pc. Combo Kit (5.0Ah)

- Blower with BL[™] Brushless motor delivers up to 120 MPH air velocity and 473 CFM of air volume
- Chain Saw features a variable speed trigger (0-3,940 FPM) for easy operation

Kit Includes:

X2 LXT® BL™ 14" CHAIN SAW	XCU03Z
X2 LXT® BL™ BLOWER	XBU02Z
(2) 18V LXT [®] 5.0Ah BATTERY	BL1850B
18V LXT® DUAL PORT CHARGER	DC18RD

XT274PT

18V X2 (36V) LXT® 2-Pc. Combo Kit (5.0Ah)

- Blower with BL™ Brushless motor delivers up to 120 MPH air velocity and 473 CFM of air volume
- Chain Saw features a Makita-built motor that delivers 1,650 FPM chain speed for faster cutting

Kit Includes:

X2 LXT® 12" CHAIN SAW	XCU02Z
X2 LXT [®] BL [™] BLOWER	XBU02Z
(2) 18V LXT® 5.0Ah BATTERY	BL1850B
18V LXT® DUAL PORT CHARGER	DC18RD



CORDLESS

FASTER CHARGING LXT® RAPID OPTIMUM CHARGER

The Makita® Rapid Optimum Charger communicates with the battery's built-in chip throughout the charging process to optimize battery life by actively controlling current, voltage and temperature. Built-in fan circulates air through the battery during the charging process to cool the battery for faster charge time.

¹Vs. Makita® 18v Ni-Cd Charger

LXT® LITHIUM-ION BATTERY

Battery delivers constant power and run time in extreme temperatures, even in winter (-4° F/ -20° C). **Equipped with Star Protection** Computer Controls[™] to protect against Overload, Over-Discharge and Overheating.


²Vs. Makita® 18v Ni-Cd Battery





ONE BATTERY SYSTEM 150+ SOLUTIONS

ALL COMPATIBLE



ADVANTAGE

THE WORLD'S LARGEST 18V LITHIUM-ION SYSTEM



50%

LONGER MOTOR LIFE[®] PURPOSE-BUILT BRUSHLESS MOTORS

Makita®-built Brushless Motor eliminates carbon brushes, enabling the motor to run cooler and more efficiently for longer life. The electronically-controlled Brushless Motor efficiently uses energy to match torque and RPM to the changing demands of the application.

³Vs. Makita[®] Cordless Motors with Brushes


EFFICIENT POWER' MANAGEMENT

STAR PROTECTION CONTROLS™

The demanding applications you take on every day are also demanding on your cordless tools and batteries. You rely on your tools, so Makita® created Star Protection Computer Controls™. Star Protection is communication technology that allows the tool and battery to monitor conditions and exchange data in real time to protect against Overload, Over-Discharge and Overheating.

⁴Protection Against Overloading, Over-Discharging & Overheating





OUTER ROTOR BRUSHLESS MOTOR

Makita® Designed, Engineered and Purpose-Built

A DIRECT-DRIVE SYSTEM that delivers the highest operating efficiency for more power, more speed and longer run time. The outer rotor brushless motor can be found in select models.









18V X2 (36V) LXT® Brushless String Trimmer Kit (5.0Ah)

- Delivers up to 60 minutes of run time under load on the low speed setting using two 18V LXT® 5.0Ah BL1850 batteries
- 2-speed options (Low: 5,000 RPM, High: 6,500 RPM) allows the operator to match speed to application
- Bump and Feed trimmer head rotates the same counterclockwise direction as professional grade trimmers

CUTTING CAPACITY (DIAMETER)	13-3/4"
NO LOAD SPEED (2 SPD)	5,000/6,500 RPM
SHAFT TYPE	STRAIGHT
ARBOR SHAFT	M10 x 1.25 LH
NET WEIGHT (WITH BATTERY)	9.9 LBS.

LXT BRUSHLESS



18V X2 (36V) LXT® Brushless String Trimmer Kit (5.0Ah)

- Up to 60 minutes of run time under load on the low speed setting using two 18V LXT® 5.0Ah BL1850B batteries
- Makita-built Outer Rotor BL[™] Brushless Motor directdrive system provides high power and increased torque
- · Bump and Feed trimmer head rotates clockwise to help direct grass clippings away from operator

CUTTING CAPACITY (DIAMETER)	13-3/4"
NO LOAD SPEED (2 SPD)	5,000/6,500 RPM
SHAFT TYPE	STRAIGHT
ARBOR SHAFT	M8 x 1.25 RH
NET WEIGHT (WITH BATTERY)	9.9 LBS.

LXT BRUSHLESS



XRU08Z 7

18V LXT® Brushless Curved Shaft String Trimmer (Tool Only)

- Delivers up to 37 minutes of run time on high setting and 44 minutes on low setting under load using 18V LXT® 5.0Ah battery (battery not included)
- Telescoping curved shaft adjusts (60-1/2" 64-1/2" length) for convenient operation in tight places
- BL™ Brushless motor delivers up to 6,000 RPM for faster cutting

CUTTING CAPACITY (DIAMETER)	11-3/4"
NO LOAD SPEED (2 SPD)	5,000/6,000 RPM
SHAFT TYPE	CURVED
ARBOR SHAFT	M8 x 1.25 RH
NET WEIGHT (WITH BATTERY)	7.9 LBS.

PT BRUSHLESS

XRU04M1 Z XRU04Z 18V LXT® Brushless String Trimmer Kit (4.0Ah)

- Up to 60 minutes of run time with 4.0Ah battery under no load on high setting
- Adjustable speed dial (0-3,500 to 0-6,000 RPM) allows the operator to match speed to application
- · Compact size is ideal for trimming and precise edging

CUTTING CAPACITY (DIAMETER)	11-3/4"
NO LOAD SPEED (2 SPD)	3,500/6,000 RPM
SHAFT TYPE	STRAIGHT
ARBOR SHAFT	M8 x 1.25 LH
NET WEIGHT (WITH BATTERY)	8.6 LBS.





XHU02M1 ☑ XHU02Z 18V LXT® 22" Hedge Trimmer Kit (4.0Ah)

- Up to 120 minutes of run time under no load using 4.0Ah battery BL1840B on lowest setting
- Makita-built motor delivers 1,350 SPM for increased cutting speed
- · 22" blade provides increased cutting capacity

BLADE LENGTH	22"
STROKES PER MINUTE	1,350 SPM
OVERALL LENGTH	38"
NET WEIGHT (WITH BATTERY)	7.4 LBS.

EXT



XRU02Z Z

18V LXT® String Trimmer (Tool Only)

- Up to 60 minutes of run time under no load using 5.0Ah battery BL1850B (battery not included)
- Telescoping shaft (48-1/2" to 56-1/2") for optimum cutting position
- Makita-built motor delivers 7,800 RPM for faster cutting

CUTTING CAPACITY (DIAMETER)	10-1/4"
NO LOAD SPEED	7,800 RPM
BATTERY	18V LXT® LITHIUM-ION
NET WEIGHT (WITH BATTERY)	6.9 LBS.





XMU02Z Z 18V LXT® Grass Shear (Tool Only)

- Up to 125 minutes of run time under no load using 3.0Ah battery BL1830 (battery not included)
- Makita-built motor delivers 1,250 SPM for efficient cutting
- Toboggan-style base frame enables user to quickly adjust height to match the application

CUTTING CAPACITY (WIDTH)	6-5/16"
DEPTH ADJUSTMENT RANGE	3/8", 13/16", 1-3/16"
STROKES PER MINUTE	1,250 SPM
NET WEIGHT (WITH BATTERY)	3.6 LBS.





18V X2 (36V) LXT® 25-1/2" Hedge Trimmer Kit (5.0Ah)

- Delivers up to 60 minutes of run time on high setting under load using two 5.0Ah BL1850B batteries
- 6 speed dial (0 1,800 SPM) allows the user to match the speed to the application
- 25-1/2" blade provides increased cutting capacity

BLADE LENGTH	25-1/2"
STROKES PER MINUTE	1,800 SPM
OVERALL LENGTH	48-3/4"
NET WEIGHT (WITH BATTERY)	12.2 LBS.



■ XML02PT ☑ XML02Z

18V X2 (36V) LXT® 17" Cordless Lawn Mower Kit (5.0Ah)

- Delivers up to 30 minutes of run time using two 18V LXT® 5.0Ah BL1850 batteries
- Makita-built motor delivers 3,600 RPM for faster and powerful cutting
- Easy to operate lever for quick adjustment of 13 cutting heights (13/16"- 2-5/16")

CUTTING CAPACITY (WIDTH)	17"
CUTTING CAPACITY (HEIGHT RANGE)	13/16" - 2-5/16"
NO LOAD SPEED	3,600 RPM
NET WEIGHT (WITH BATTERY)	40.8 LBS.



ONE BATTERY SYSTEM 150+ SOLUTIONS

Hard work never stops, so why should you? With Makita's 18V LXT® system, you can take the same batteries you use at the job site and bring them home with you to tackle any indoor or outdoor task. Combine that versatility with the industry's fastest battery charge times and you'll never have to worry about the limits of your battery platform, or switch to another.





TOOL & BATTERY

Find more warranty information at makitatools.com/service/warranty







EXPAND YOUR CAPABILITIES



BL™ Brushless Motor delivers 1,090 in.lbs. of Max Torque

<u>LXT</u> BRUSHLESS



Driver-Drill weighs only 2.8 lbs. with battery for reduced operator fatigue

18V LXT® Sub-Compact Brushless 2-Pc. Combo Kit (2.0Ah)

LXT BRUSHLESS

CX200RB

 $BL^{\!\scriptscriptstyle TM}$ Motor delivers 780 ft.lbs. of fastening torque and 1,250 ft.lbs of breakaway torque



XDT14T ✓ XDT14Z 18V LXT® Brushless 3-Speed Impact Driver Kit (5.0Ah)

Quick-Shift Mode™ selector has an automatic controller that downshifts and reduces rotation and impact speed prior to driving screw into place



wide range of drilling, driving and hammer

XSR01PT Z XSR01Z 18V X2 LXT® (36V) Brushless Rear Handle 7-1/4" Circular Saw Kit (5.0Ah)

Powered by two LXT® batteries; X2 LXT® technology delivers more power, speed and run time without the hassles of a cord



XSH03MB Z XSH03Z 18V LXT® Brushless 6-1/2" Circular Saw Kit (4.0Ah)

BL™ Motor delivers 5,000 RPM for faster cutting and ripping



XRJ06M Z XRJ06Z 18V X2 LXT® (36V) Brushless Recipro Saw Kit (4.0Ah)

Makita-built variable 2-speed brushless motor delivers 0-2,300 (Low) & 0-3,000 (High) strokes per minute

ZX I



18V I XT® Compact Recipro Saw Kit (5.0Ah)

Variable speed (0 - 3,000 SPM) with a 1/2" stroke length for faster and more efficient cutting



XAGO6MB Z XAG06Z 18V LXT® Brushless 4-1/2" Cut-Off/Angle Grinder (4.0Ah)

Electronic Torque Control turns the motor off if rotation speed suddenly slows or wheel is





Efficient $BL^{\mathbb{T}}$ Brushless motor is electronically controlled to optimize battery energy use for up to 50% longer run time per charge



Two 18V LXT® Lithium-Ion Batteries deliver the power and performance of a corded miter saw without leaving the 18V LXT® platform



18V X2 LXT® Brushless HEPA Filter Backpack Vacuum Kit (5.0Ah)

Powerful motor generates 53 CFM of suction power and 28.5" of water lift





XRM04B 18V LXT®

Bluetooth® Job Site Radio (Radio Only)

Equipped with Bluetooth® to wirelessly connect your mobile device to play music



3 core heat zones (left chest, right chest, back)

DXT.

DCV200Z 18V LXT® Heated Vest (Black, Large)

Up to 28 hours of heat using 5.0Ah LXT® battery on low setting

18V LXT® Heated Jacket (Jacket Only) Check out Makita's complete LXT® Cordless line-up at: for optimum heat distribution makitatools.com



Z Tool only – battery & charger not included



4-STROKE INNOVATION

STRAIGHT GAS, NO OIL MIXING

MM4® 4-stroke unleashes your potential so you can power through jobs without hesitation. No oil mixing, lower costs and reduced emissions mean less stress, more savings and a better world. Power and efficiency are on your side—how will you rule the outdoors?


4-STROKE FEATURES

- Less costs with improved fuel efficiency and no 2-stroke oil
- Reduced emissions for cleaner operation
- Fast and easy starts with mechanical automatic engine decompression
- Higher engine torque delivers the power and performance needed to meet the demands of the professional



KEY PRODUCT CLOSE-UP | **EM2650LH**

4-STROKE STRAIGHT GAS, NO OIL MIXING



LESS COSTS WITH IMPROVED FUEL EFFICIENCY





PERFORMANCE owerful and fuel efficient 25.4 cc multi-position 4-stroke engine



Heavy duty, dual stage air filter with large sealing areas and "tool-less" filter access



VERSATILITY Multi-position lubrication system enables continuous operation at any engine angle



EFFICIENCY High capacity, rapid loading, bump-and-feed trimmer head

SPECIFICATIONS

or Eon Ioaniono	
Engine Displacement	25.4 cc
Engine	1.1 HP
Cutting Capacity (diameter)	17"
Power Type	4-stroke gas
Fuel Tank Capacity	20.3 oz.
Crank Case Capacity	2.7 oz.
Arbor Shaft	M10 x 1.25 LH
Shaft Type	Straight
Steel Shaft	
Dry Weight	10.9 lbs.
Shipping Weight	20.85 lbs.

25.4 cc MM4® 4-STROKE ENGINE STRING TRIMMER

The Makita® 25.4 cc MM4® String Trimmer delivers power and ease-of-use for commercial duty applications. The 4-stroke commercial duty engine requires no fuel mixing, and the multi-position lubrication system enables engine to be inclined to any angle for continuous operation. For added convenience, the trimmer is engineered with Mechanical Automatic Engine Decompression for quicker, easier starts. In addition, the commercial duty dual stage air filter with large sealing areas is replaceable and easily accessible, and the oil filling port and drain plug are easily accessible with oil level view window for easy checking and replacing of oil.



FM26501 H

25.4 cc MM4® 4-Stroke Engine String Trimmer

- High capacity, rapid loading, bump-and-feed trimmer head
- Ergonomically designed rubberized soft grip provides more comfort
- Heavy duty, dual stage air filter with large sealing areas is replaceable and easily accessible.

ENGINE	1.1 HP
CUTTING CAPACITY (DIAMETER)	17"
ARBOR SHAFT	M10 X 1.25 LH
DRY WEIGHT	10.9 LBS.



25.4 cc MM4® 4-Stroke Engine

Telescoping Pole Pruner

- Telescoping shaft easily adjusts from 8 ft. to 13 ft.
- Reduced cutting head weight for improved balance and reduced operator fatigue
- Translucent bar oil tank with automatic chain lubrication for efficient operation

ENGINE	1.1 HP
OVERALL LENGTH	154-1/2"
GUIDE BAR LENGTH	10"
DRY WEIGHT	16 LBS.



EM2652LHN

25.4 cc MM4® 4-Stroke Engine High Torque String Trimmer

- · High capacity, rapid loading, bump-and-feed trimmer head
- Steel drive shaft engineered for less vibration and longer equipment life
- Powerful and fuel efficient 25.4 cc 4-stroke commercial duty engine

ENGINE	1.1 HP
CUTTING CAPACITY (DIAMETER)	17"
ARBOR SHAFT	M10 X 1.25 LH
DRY WEIGHT	11.5 LBS.



EN5950SH

24" 25.4 cc MM4® 4-Stroke Engine Double-Sided Hedge Trimmer

- Compact design with less weight (only 14.1 lbs.)
- Commercial duty gear case engineered for improved durability
- · Tip guard protects blade from unnecessary wear

ENGINE	1.1 HP
BLADE LENGTH	24"
OVERALL LENGTH	71-1/4"
DRY WEIGHT	14.1 LBS.



EM2650UH

25.4cc MM4® 4-Stroke Engine Brush Cutter

- Steel drive shaft for less vibration and longer equipment life
- Easily adjustable handle configuration
- Flexible universal guard for both saw blade and nylon cutting head

ENGINE	1.1 HP
BLADE DIAMETER	9"
ARBOR SHAFT	M10 X 1.25 LH
DRY WEIGHT	12.1 LBS.



EN4950H

20" 25.4 cc MM4® 4-Stroke Engine Articulating Hedge Trimmer

- Steel drive shaft for less vibration and longer equipment life
- 20" double-sided blade with high blade speed (4,200 SPM) for efficient cutting
- · Angle change lever quickly and easily adjusts blade angle

ENGINE	1.1 HP
BLADE LENGTH	20"
OVERALL LENGTH	99"
DRY WEIGHT	15.6 LBS.



EN4951SH

20" 25.4 cc MM4® 4-Stroke Engine Articulating Hedge Trimmer

- 180° blade adjustment allows blade to be positioned along shaft for convenient transport and storage
- Steel drive shaft for less vibration and longer equipment life
- Angle change lever quickly and easily adjusts blade angle

ENGINE (HP)	1.1 HP
BLADE LENGTH	20"
OVERALL LENGTH	80-1/2"
DRY WEIGHT	14.6 LBS.



EN7350SH

30" 25.4 cc MM4® 4-Stroke Engine Single-Sided Hedge Trimmer

- Chip receiver for efficient collection and clean-up of clippings
- Steel drive shaft for less vibration and longer equipment life
- Powerful fuel efficient 25.4 cc (1.1 HP), MM4® commercial duty engine

ENGINE (HP)	1.1 HP
BLADE LENGTH	30"
OVERALL LENGTH	76-3/4"
DRY WEIGHT	14.7 LBS.







FF2650H

25.4 cc MM4® 4-Stroke Engine Edger

- 8" steel blade for precise cuts and longer blade life
- Adjustable wheel for quick and easy adjustment to desired cutting depth
- Metal skid plate protects gear housing for increased durability

ARBOR	1"
BLADE LENGTH	8"
SHAFT TYPE	STRAIGHT
NDV WEIGHT	14 4 L RS



PROFESSIONAL FEATURES SUPERIOR PERFORMANCE



MECHANICAL AUTOMATIC ENGINE DECOMPRESSION

for quick and easy starts



EXCHANGEABLE TIPS allow you to adjust the air

allow you to adjust the ai flow to meet your needs



HEAVY DUTY
ANTI-VIBRATION MOUNTS

between frame and engine for improved operator comfort



LARGE CAPACITY AIR FILTER

is replaceable and easily accessible





EB7650WH

75.6 cc MM4® 4-Stroke Engine Hip Throttle Backpack Blower

- · Mechanical automatic engine decompression for quick and easy starts
- · Hip throttle with cruise control and convenient on/off switch
- · Shoulder straps engineered with multiple adjustments for improved fit

MAX. AIR VELOCITY	200 MPH
MAX. AIR VOLUME	670 CFM
SOUND PRESSURE	76 dB(A)
DRY WEIGHT	24.1 LBS.





EB7650TH

75.6 cc MM4® 4-Stroke Engine Tube Throttle Backpack Blower

- Mechanical automatic engine decompression for quick and easy starts
- · Shoulder straps engineered with multiple adjustments for improved fit
- · Tool-less handle adjustment for quick positioning of handle

MAX. AIR VELOCITY	200 MPH
MAX. AIR VOLUME	670 CFM
SOUND PRESSURE	76 dB(A)
DRY WEIGHT	24.1 LBS.





BBX7600N

75.6 cc MM4® 4-Stroke Engine Backpack Blower

- Powerful and fuel efficient 75.6 cc. 4-stroke commercial duty engine
- Mechanical automatic engine decompression for quicker, easier starts
- Padded shoulder straps and back panel for improved operator comfort

MAX. AIR VELOCITY	195 MPH
MAX. AIR VOLUME	526 CFM
SOUND PRESSURE	74 dB(A)
DRY WEIGHT	22.6 LBS.





BHX2500CA

24.5 cc MM4® 4-Stroke Engine Blower

- Mechanical Automatic Engine Decompression for quicker, easier starts
- Soft grip for less vibration and convenient cruise control lever
- Dual stage air filter is replaceable and easily accessible

MAX. AIR VELOCITY	145 MPH
MAX. AIR VOLUME	356 CFM
SOUND PRESSURE	67 dB(A)
DRY WEIGHT	9.8 LBS.



PM7650H

75.6 cc MM4® 4-Stroke Engine Mist Blower

- L-shaped chemical tank lowers center of gravity for improved balance
- · Single action switch to activate liquid chemical flow
- Liquid chemical in tank is automatically mixed by intake air flow for uniform solution concentration

TANK	3.9 GAL.
MAX. AIR VOLUME	496 CFM
SOUND PRESSURE	74 DB(A)
DRY WEIGHT	22.6 LBS.





PROFESSIONAL







EA7901PR

79 cc Chain Saw

- Heated handle for improved operator comfort in cold weather conditions
- High Power-to-Weight Ratio 5.7 HP engine delivers fast acceleration and more efficient cutting performance to meet the demands of the professional
- Slide out baffle can be configured for efficient cold weather operation

	Power Head	Heavy Duty	Handle
	Only	Filter	Type
EA7901PRZ1	•	•	Heated

PROFESSIONAL

MAGNESIUM"



- · High Power-to-Weight Ratio 5.7 HP engine delivers fast acceleration and more efficient cutting performance to meet the demands of the professional
- · Decompression valve reduces force required for starting
- Chain compartment is easy to clean and clears chips away efficiently when other saws become clogged

	Power Head Only	Heavy Duty Filter	Handle Type
EA7900PRZ2	•	•	Full Wrap
EA7900PRZ1	•	•	Flush Cut
EA7900PRZ	•		Flush Cut

PROFESSIONAL



EA7301PR

73 cc Chain Saw



- Heated handle for improved operator comfort in cold weather conditions
- High Power-to-Weight Ratio 5.4 HP engine delivers fast acceleration and more efficient cutting performance to meet the demands of the professional
- Slide out baffle can be configured for improved performance in cold weather conditions

	Power Head	Heavy Duty	Handle
	Only	Filter	Type
EA7301PRZ	•		Heated

PROFESSIONAL

MAGNESIUM™



PROFESSIONAL

MAGNESIUM"



PROFESSIONAL

MAGNESIUM"



EA7300PR

73 cc Chain Saw

- · High Power-to-Weight Ratio 5.4 HP engine delivers fast acceleration and more efficient cutting performance to meet the demands of the professional
- Magnesium housing for improved durability and less weight (only 14.7 lbs.)
- Chain compartment is easy to clean and clears chips away efficiently when other saws become clogged

	Power Head	Heavy Duty	Handle
	Only	Filter	Type
EA7300PRZ	•		Flush Cut

DCS6421R

64 cc Chain Saw

- · High Power-to-Weight Ratio 4.7 HP engine delivers fast acceleration and more efficient cutting performance to meet the demands of the professional
- Magnesium housing for improved durability and less weight (only 13.9 lbs.)
- Chain compartment is easy to clean and clears chips away efficiently when other saws become clogged

	Guide Bar	Pitch	Gauge
DCS6421RFG	20"	3/8"	.050"

EA6100PR

61 cc Chain Saw

- · Heavy-duty cartridge air filter system for improved durability
- Powerful 4.6 HP Stratified Air Scavenging engine delivers professional cutting performance with improved fuel efficiency
- · Easy Start spring-assisted starter for quick starting with less force

	Guide Bar	Pitch	Gauge
EA6100PRGG	20"	3/8"	.050"
EA6100PREL	18"	.325"	.050"
EA6100PREG	18"	3/8"	.050"

PROFESSIONAL

MAGNESIUM"



PROFESSIONAL

MAGNESIUM"



FARM & RANCH

MAGNESIUM



FARM & RANCH

MAGNESIUM



50 cc Chain Saw



- Heated handle for improved operator comfort in cold weather conditions
- High Power-to-Weight Ratio 3.9 HP engine delivers fast acceleration and more efficient cutting performance to meet the demands of the professional
- Easy Start spring-assisted starter for quick starting with less force

	Guide Bar	Pitch	Gauge
EA5001PREL	18"	.325"	.050"
EA5001PREG	18"	3/8"	.050"

EA5000PR

50 cc Chain Saw



- · High Power-to-Weight Ratio 3.9 HP engine delivers fast acceleration and more efficient cutting performance to meet the demands of the professional
- · Easy Start spring-assisted starter with optimized engine management for quick starting with less force

	Guide Bar	Pitch	Gauge
EA5000PRGG	20"	3/8"	.050"
EA5000PREL	18"	.325"	.050"
EA5000PREG	18"	3/8"	.050"

DCS5121R

50 cc Chain Saw



- High Power-to-Weight Ratio 3.3 HP engine with 2-piece magnesium housing delivers professional-grade performance in a farm saw
- Compact design engineered with smooth rounded surfaces for less weight (only 11.9 lbs.) and operator comfort

	Guide Bar	Pitch	Gauge
DCS5121REG	18"	3/8"	.050"

EA4300FR

42 cc Chain Saw



- · High Power-to-Weight Ratio 3.0 HP engine with 2-piece magnesium housing delivers professional-grade performance in a farm saw
- "Tool-less" filter maintenance for operator efficiency

	Guide Bar	PILCII	Gauge
EA4300FRDB	16"	3/8"	.050"

FARM & RANCH **COMING SOON**



STANDARD



STANDARD

STANDARD





TOOL-LESS

■ EA3601FR



- and convenient chain adjustment
- Stratified Air Scavenging engine for lower emissions and improved fuel efficiency
- · Easy Start spring-assisted starter with optimized engine management for quick starting with less force

	Guide Bar	Pitch	Gauge
EA3601FRDB	16"	3/8"	.050"

EA3500SR





- Easy Start spring-assisted starter with optimized engine management for quick starting with less force
- Steel anti-vibration mount springs engineered to reduce vibration
- · Primer pump for easy cold starting

	Guide Bar	Pitch	Gauge
EA3500SRDB	16"	3/8"	.050"

EA3201SR

32 cc Chain Saw



TOOL-LESS

- "Tool-less" chain tensioning for guick and convenient chain adjustment
- Easy Start spring-assisted starter with optimized engine management for quick starting with less force
- · Primer pump for easy cold starting

	Guide Bar	Pitch	Gauge
EA3201SRBB	14"	3/8"	.050"

EA3200SR

32 cc Chain Saw




- Easy Start spring-assisted starter with optimized engine management for quick starting with less force
- Steel anti-vibration mount springs engineered to reduce vibration
- Primer pump for easy cold starting

	Guide Bar	Pitch	Gauge
EA3200SRBB	14"	3/8"	.050"



















EK7651H

14" 75.6 cc MM4® 4-Stroke Engine Power Cutter

- Automatic engine decompression valve is engineered into the cam gear to reduce pull-start force by 40%
- Pressure compensated carburetor with vented choke plate allows for optimum fuel delivery and reduces the occurrence of flooding during cold starts
- Integrated all aluminum wheels reduce fatigue during long straight cuts and retract when not in use

ENGINE DISPLACEMENT	4.61 CU.IN. (75.6 cc)
NO LOAD SPEED/MAX. SPINDLE SPEED	9,100 / 4,300 RPM
MAX. CUTTING DEPTH	4-13/16"
DRY WEIGHT	28.3 LBS.





EK8100

16" 81 cc Power Cutter

- Improved deco-valve and metering spring for precise fuel regulation
- Start capacitor with start support function stores electrical energy resulting in significantly less pull start force
- On-Off-choke operation on a single lever for operator convenience

ENGINE DISPLACEMENT	4.9 CU.IN. (81 cc)
NO LOAD SPEED/MAX. SPINDLE SPEED	9,350 / 3,820 RPM
MAX. CUTTING DEPTH	5-3/4"
DRY WEIGHT	23.3 LBS.



EK7301

14" 73 cc Power Cutter

- Improved decompression valve and metering spring for precise fuel regulation
- Start capacitor with start support function resulting in significantly less pull start force
- On-Off-Choke operation on a single lever for operator convenience

ENGINE DISPLACEMENT	4.5 CU.IN. (73 cc)
NO LOAD SPEED/MAX. SPINDLE SPEED	9,350 / 4,300 RPM
MAX. CUTTING DEPTH	4-13/16"
DRY WEIGHT	22 LBS.



14" 61 cc Power Cutter

- Cyclonic air Intake delivers more air, more efficiently and increases air filter life by discarding 90% of larger debris
- Start capacitor with start support function resulting in significantly less pull start force
- Smaller hub and drive wheel assembly increases maximum cutting depth to 5-1/8"

ENGINE DISPLACEMENT	3.7 CU.IN. (61 cc)
NO LOAD SPEED/MAX. SPINDLE SPEED	9,850 / 4,400 RPM
MAX. CUTTING DEPTH	5-1/8"
DRY WEIGHT	19.6 LBS.



14" SJS™ Angle Cutter

- SJS[™] technology is a mechanical clutch system that helps prevent motor and gear damage
- · Built-in vacuum attachment port and rubber shield reduces dust and debris

ARBOR	1"
MAX. CUTTING DEPTH (14" CUT-OFF WHEEL)	5"
NO LOAD SPEED	3,800 RPM
NET WEIGHT	23.8 LBS.



UH6570

25" Electric Hedge Trimmer

- · Low motor noise level for quiet operation
- · Well balanced and with less weight

CAPACITY (CUTTING LENGTH)	25-1/2"
BLADE SPEED	1,600 SPM
AMPS	4.8
NET WEIGHT	8.2 LBS.



UH5570

22" Electric Hedge Trimmer

- · Well balanced and with less weight
- Two-hand operation switch, motor runs only when grips are held with both hands

CAPACITY (CUTTING LENGTH)	21-5/8"
BLADE SPEED	1,600 SPM
AMPS	4.8
NET WEIGHT	7.9 LBS.



UC4051A

16" Electric Chain Saw



- "Tool-less" blade and chain adjustments for convenient operation and easy maintenance
- Rubberized grip handles are ergonomically designed for comfort

CHAIN SPEED	2,900 FPM
CHAIN PITCH	3/8"
OIL TANK CAPACITY	6.8 OZ.
NET WEIGHT (W/O BAR & CHAIN)	12.3 LBS.



UC3551A

14" Electric Chain Saw



- "Tool-less" blade and chain adjustments
- Built-in current limiter helps protect motor

CHAIN SPEED	2,900 FPM
CHAIN PITCH	3/8"
OIL TANK CAPACITY	6.8 OZ.
NET WEIGHT (W/O BAR & CHAIN)	12.1 LBS.



11-3/4" Electric Chain Saw

- 11.5 AMP motor powers through stock for smooth and fast cutting
- · Special sprocket inside the end of the chain bar for smooth chain action

CHAIN SPEED	5,500 FPM
CHAIN PITCH	3/8"
GUIDE BAR LENGTH	11-3/4"
NET WEIGHT (W/O BAR & CHAIN)	9.5 LBS.



35 lb. Demolition Hammer

- Powerful 14 AMP motor delivers 25.7 lbs. of impact energy to handle the most demanding applications
- Constant Speed Control automatically applies additional power to the motor to maintain consistent speed under load for the most challenging jobs

BLOWS PER MINUTE (VARIABLE SPEED)	730 - 1,450 BPM
IMPACT ENERGY	25.7 FT.LBS.
AMPS	14
NET WEIGHT	38.2 LBS.



27 lb. AVT® Demolition Hammer

- Powerful 14 AMP motor delivers 19 ft.lbs. of impact energy to handle the most demanding applications
- Anti-Vibration Technology is an internal counterbalance system that greatly reduces vibration

BLOWS PER MINUTE (VARIABLE SPEED)	950 - 1,900 BPM
IMPACT ENERGY	19 FT.LBS.
AMPS	14
NET WEIGHT	27.1 LBS.





20 lb. Demolition Hammer

- Powerful 14 AMP motor delivers 18.8 ft.lbs. of impact energy to handle the most demanding applications
- Constant speed control automatically applies additional power to the motor to maintain speed under load to complete the most challenging jobs

BLOWS PER MINUTE (VARIABLE SPEED)	950 - 1,900 BPM
IMPACT ENERGY	18.8FT.LBS.
AMPS	14
NET WEIGHT	20.31BS



RAPID LOAD TRIMMER HEADS



QUICK LOADING three options to load without splitting head



EASY LINE REMOVAL without splitting trimmer head

						F	its Model	s		
Part #	Arbor Size	Standard Line	Line Capacity	EM2650LH	EM2652LHN	EM2650UH	XRU09	XRU07	XRU08	XRU04
T-01753A 10mm LH Comfort Trim Bump and Feed Head	M10 x 1.25 LH	.095"	20 ft. of .080" 18 ft. of .095" 16 ft. of .105" 13 ft. of .110"	•	•	•	•			
T-02917 8mm LH Comfort Trim Bump and Feed Head	M8 x 1.25 LH	.095"	20 ft. of .080" 18 ft. of .095" 16 ft. of .105" 13 ft. of .110"							•
T-03187 8mm RH Comfort Trim Bump and Feed Head	M8 x 1.25 RH	.095"	20 ft. of .080" 18 ft. of .095" 16 ft. of .105" 13 ft. of .110"					•	•	
B-05119 High Capacity Bump and Feed Head	M10 x 1.25 LH	.095"	30 ft. of .080" 20 ft. of .095" 20 ft. of .105" 10 ft. of .130"	•	•	•				
B-60143 Bump and Feed Trimmer Head	M8 x 1.25 LH	.095"	20 ft. of .080" 16 ft. of .095" 14 ft. of .105" 13 ft. of .110"							•
B-60109 Bump and Auto Feed Trimmer Head	LH Universal	.095"	17 ft. of .080" 12 ft. of .095" 10 ft. of .105" 9 ft. of .110"	•	•	•	•			•
B-60121 Bump and Auto Feed Trimmer Head	M8 x 1.25 RH, 3/8" x 24 RH	.095"	20 ft. of .080" 16 ft. of .095" 14 ft. of .105" 13 ft. of .110"					•	•	
197297-1 Bump and Feed Trimmer Head	M8 x 1.25 RH	.080"	20 ft. of .080" 18 ft. of .095" 16 ft. of .105" 13 ft. of .110"					•	•	
B-02951 Fixed Line Trimmer Head	Universal	.130"	5 ft. of .105" 5 ft. of .110" 4 ft. of .130"	•	•	•				
713300-C Bump and Feed Trimmer Head	M10 x 1.25 LH	.095"	30 ft. of .080" 20 ft. of .095" 20 ft. of .105" 10 ft. of .130"	•	•	•	•			
713301-C Manual Feed Trimmer Head	M10 x 1.25 LH	.095"	30 ft. of .080" 20 ft. of .095" 20 ft. of .105" 10 ft. of .130"	•	•	•	•			

Trimmer Attachments



Part #	Includes	Fits Models
135683-8 Articulating Hedge Trimmer Attachment		
A-89523 Articulating Hedge Trimmer Attachment	Blade Cover	
135544-2 Double-Sided Hedge Trimmer Attachment	Blaue Covel	EM2650LH, EM2650UH, EM2652LHN, EE2650H, EN4950H, EN4951SH, EN5550SH, EN5950SH, EN7350SH
135545-0 Single-Sided Hedge Trimmer Attachment		
196315-2 Pole Saw Attachment	10" Bar, 10" Chain, Chain Protector	

Trimmer Service Kit





Part #	Includes	Fits Models
197680-2 Maintenance and Service components to tune up engine for optimum performance and durability	Spark Plug, Fuel Filter, Air Filters	EM2650LH, EM2650UH, EM2652LHN, EE2650H, EN4950H, EN4951SH, EN5550SH, EN5950SH, EN7350SH

9" Star Blade, 4 Tooth



Part #	Includes	Fits Models
B-14118 Efficient cutting of grasses, shrubs, underwood and thicket	9" Star Blade, 1" Arbor	EM2650LH*, EM2652LHN*, EM2650UH

*Requires Brush Cutter Conversion Kit (196500-7)

Brush Cutter Harness

Part #	Includes	Fits Models
122906-3 Padded shoulder straps distribute weight evenly for improved comfort	Harness	EM2650LH, EM2652LHN, EM2650UH, XRU04Z, XRU07Z

Brush Cutter Conversion Kit



Part #	Includes	Fits Models
196500-7 Conveniently converts Makita® string trimmer into a blade capable grass trimmer	Harness, Protector, Barrier Bar, Clamp, Cup, Nut M10-17, Universal Wrench	EM2650LH, EM2652LHN

Chain Saw Guide Bars



						Fits Chain Saw Models																			
Part #	Length	Pitch	Gauge	Mount #	XCU01	5012B	XCU02	XCU03	UC3551A	UC4051A	EA3200SR	EA3201SR	EA3500SR	EA3601FR	EA4300FR	DCS5121R	EA5000PR	EA5001PR	EA6100PR	DCS6421R	EA7300PR	EA7301PR	EA7900PR	EA7901PR	EY2650H25H
158476-6 w/ Tip Guard	4-1/2"	1/4"	.050"	-	•																				
165695-7 Low Profile	10"	3/8"	.050"	A318																					•
165245-8 Narrow Kerf	12"	3/8"	.043"	A041			•	•																	
163150-3 w/ Tip Guard	12"	3/8"	.050"	A041		•																			
165201-8 Low Profile	14"	3/8"	.050"	A041				•	•	•	•	•	•	•	•										
165246-6 Narrow Kerf	14"	3/8"	.043"	A041				•																	
443-038-631 Mid-Range	15"	.325"	.058"	K095												•	•	•	•						
442-040-661 Low Profile	16"	3/8"	.050"	A041				•	•	•	•	•	•	•	•										
443-045-661 Mid-Range	18"	3/8"	.050"	K095												•	•	•	•						
443-053-661 Standard	20"	3/8"	.050"	K095												•	•	•	•						
445-050-665 Standard	20"	3/8"	.050"	D009																•	•	•	•	•	
713200-A Replaceable Tip	20"	3/8"	.050"	K095												•	•	•	•						
713207-A Replaceable Tip	32"	3/8"	.050"	D009																•	•	•	•	•	

Combo Safety Helmet 986-200-002



- Lightweight design for operator comfort
- Adjustable design easily adjusts to operator for improved comfort
- Face protector allows good view of the working area

Face and Hearing Protection, Muffs 986-200-003




Hearing Protection Earmuffs 986-200-004



Regular Chaps





Part #	Size
986-200-006	32"
986-200-007	36"
841008-A	38"
986-200-008	40"

SAFETY EQUIPMENT

Chain Saw Chains



dard Kickback Chair	n*											Fits	Guide E	Bars					
Low Kickback Chair	1*	Length	Pitch	Gauge	Drive Links	File Size	158476-6	165695-7	165245-8	163150-3	165246-6	165201-8	442-040-661	443-045-661	415-045-641	443-053-661	445-050-665	713201-A	713201-A
791284-8	0	4-1/2"	1/4"	.050"	42	5/32"	•												
196142-7		10"	3/8"	.050"	39	5/32"		•											
531-291-646		12"	3/8"	.043"	46	4.5 mm			•										
196519-6		12"	3/8"	.050"	45	5/32"				•									
196741-5	•	14"	3/8"	.043"	52	4.5 mm					•								
196207-5		14"	3/8"	.050"	52	5/32"						•							
196208-3		16"	3/8"	.050"	56	5/32"							•						
523-102-064		18"	3/8"	.050"	64	7/32"								•					
528-086-672		18"	.325"	.050"	72	3/16"									•				
523-102-072A		20"	3/8"	.050"	72	7/32"										•	•	•	
713105-A	0	24"	3/8"	.050"	84	7/32"													•

*Per ANSI B175.1 2012

Chain Protect



ctors				
Part #	Size	Fits Models		
416311-7	5" XCU01Z			
452093-7	10"	EY2650H25H		
952-010-630	14-16"	XCU03, EA3200S, EA3201S, EA3500S, EA3601F, EA4300F		
952-010-640	18"	DCS5121, EA5000P, EA6100P		
952-020-650	20"	DCS5121, EA5000P, EA6100P, DCS6421		
952-020-660	24"	EA7300P, EA7301P, EA7900P, EA7900P		
952-030-180	32"	EA7300P, EA7301P, EA7900P, EA7900P		

Bar and Chain Oil





	Part #	Fits Models
	181119-A (Summer Mix) 1 Quart Bar and Chain Oil	
	181116-A (Summer Mix) 1 Gallon Bar and Chain Oil	All Makita® Chain Saws
ì	T-03159 (Winter Mix) 1 Gallon Bar and Chain Oil	

Vacuum Kit Includes **Fits Models** Part # 195282-8 Dust Bag, BHX2500CA Engineered for efficient collection Elbow, Pipes of leaves and debris

Blower Nozzles

Mix Oils

Part #	Fits Models
451753-8 Flat End Nozzle	BHX2500CA
667-95002-01 Short End Nozzle	BBX7600CA, BBX7600N
454896-5 End Nozzle 90-60	EB7650TH, EB7650WH
454916-5 Flat End Nozzle 90	EB7650TH, EB7650WH
455128-3 End Nozzle 90-70	EB7650TH, EB7650WH
197888-8 Extension Nozzle	XBU02
197889-6 Flat Nozzle	XBU02

Filter Kits

315-173-010

Part #

Air Filter

315-173-010

957-173-400

957-173-110

5+1 Filter Set

195599-9

5+1 Filter Set

Heavy Duty Filter Kit

GAS EQUIPMENT





Includes

Air Filter Only

Paper Filter, Felt Pre-Filter,

Base, Clamp, Connecting

Sleeve, Bottom, Filter Hood

5 Pre-Filters,

1 Paper Filter

5 Pre-Filters,

1 Paper Filter



Fits Models

EK6101

DCS6421, EA7300P,

EA7301P, EA7900P,

EA7901P

EK7301, EK8100

EK7651H

957-173-400 195599-9



		Â		
	ı,	11		
	J	R		
á		a		
П	Tha m	kille		ı
P				ı
L		1000	100	l
ч				,





	Part #	Includes	Fits Models	
1	195826-4 10W-30 Engine Oil	80ml of Oil	24.5 and 25.4 cc	
	195826-4-48 10W-30 Engine Oil (48)	80ml of Oil	MM4® Engines	
	T-02484 10W-30 Engine Oil	200ml of Oil	75.6cc	
	T-02490 10W-30 Engine Oil (48)	200ml of Oil	MM4® Engines	
	T-00745 Synthetic 1 Gallon Mix, 50:1 2-Stroke Fuel Mix	2.6 oz. 2-Stroke Mix Oil		
	T-00745-48 Synthetic 1 Gallon Mix, 50:1 2-Stroke Fuel Mix (48)	48 Bottles of 2.6 oz. 2-Stroke Mix Oil		
	T-00739 Synthetic 2.5 Gallon Mix, 50:1 2-Stroke Fuel Mix	6.4 oz. 2-Stroke All 2-Stroke Mix Oil Models		
	T-00739-48 Synthetic 2.5 Gallon Mix, 50:1 2-Stroke Fuel Mix (48)	48 Bottles of 6.4 oz. 2-Stroke Mix Oil		
	986-100-105 5 Gallon Mix, 50:1 2-Stroke Fuel Mix (24)	24 Bottles of 12.8 oz. 2-Stroke Mix Oil		

Power Cutter Dollies with Water Tank



weighted for greater stability • "Tool-less" attachment saw to dolly

Quick adjusting ratchet system



Pressurized **Water Tank** 988-394-610



Angular Union Assembly 010-114-081

Large opening and angled neck to allow for easy filling of gas



Power Cutter Metal Case 988-959-402



Demolition Hammer Steel




Part #	1-1/8" Hex 🔘		SDS-MAX		
Bull Point All-purpose demolition and starting holes in concrete	D-21353 20-1/2"	B-45559 16"	751424-A 18"	751423-A 12"	
Flat Chisel General purpose chipping, edging and channeling	D-21369 1-1/8" x 20-1/2"		751231-A 1" x 18"	751228-A 1" x 12"	
Digging Chisel Digs deep into hard ground and asphalt	751621-A 3" x 22-1/2"		-		
Clay Spade Digs clay, shale, hard-packed gravel and dirt	751622-A 5-1/2" x 20"			751626-A 4-1/2" x 17"	
Asphalt Cutter Cuts asphalt or hard ground (not for concrete)	751620-A 5" x 17-1/2"		751625-A 5" x 15"		

18V LXT® Lithium-Ion Batteries

LXT® Chargers







18V LXT® Flashlights

DML805 Cordless/Corded L.E.D. Floodlight



DML802 L.E.D. Flashlight



DML801 12 L.E.D. Flashlight



DML807 L.E.D. Lantern/ Flashlight



DML806



DML184 Fluorescent/ Incandescent Flashlight



DML185 Xenon Flashlight



LXLM01 L.E.D. Flashlight

BL1820







